

**LEDLUMEN**<sup>®</sup>  
LED Technologie


*Your brightness is our success!*

## LL-SLY150-T3-150W





TECHNISCHE DATEN	
Model	LL-SLY150-T3-150W
LED Module Quantity	5PCS(5X22 3535 LED)
LED Consumption	150W
System Consumption	165±2W
LED Luminous Efficiency	110Lm /W
Lamp's Initial Flux	>19500Lm
Color Temperature	2200K ~ 8300K
Lamp's Luminous Efficiency	90Lm /W
Illumination Uniformity	>0.6
Flux Maintenance	70%(50,000Hrs)
Light Distribution	The asymmetric bat wings
Optical Design	PC plastic LENS
Beam Angle	H 65°,V150°at the beam angle 50%
Driver Working Temperature	-30° ~ +50°
Storage Temperature	-40° ~ +70°
Life-span	50,000Hrs(Note3)
Appliance Class	Class 1
Lamp Material	Aluminum alloy
Color of the lamp shell	White/Gray
Mounting	Pole installation
Input Power Consumption	165±2W
Input Voltage/Frequency	100-277VAC; 50-60Hz
Input Current	1.43A/115VAC 0.72A/230VAC
Output Voltage	DC31±2V
Output Current	4.78±0.1A
Power Efficiency	≥92% at 230VAC
Power Factor	PF>0.98/115VAC PF>0.95/230VAC






## LL-SLY150-T3-150W

### Lichtparameter




Ordinary: Angle of elevation  $\approx$  15 DEG



T3: Angle of elevation  $\approx$  0 DEG






**LEDLUMEN**<sup>®</sup>  
LED Technologie

*Your brightness is our success!*

## LL-SLY150-T3-150W

### Bemaßung



- **Alle Lampen sind mit Meanwell Driver ausgerüstet**
- **Garantiezeit: 5 Jahre**
- **Schutzklasse IP65**

